BIBLIOGRAPHY OF MATERIALS ON ISOTOPES PUBLISHED IN THE USSR

Title, author, and other information

- 1. Radioactive Minerals, 6 Jap. does., 1925-43.
- Research on Rare Elements, I. Ya. Bashilov Rare Metals (Jap. per.), No. 415, 1932.
- Radioactive Minerals, 5 Jap. docs., 1936-1944 (mostly 1944).
- Radioactive Minerals, 7 Russ. pers., 1945-7.
- 5. Recent Researches of A. I. Brodskiy, Russ. pers., 1940-6.
- 6. Recently Published Reports on Natural Resources: Rare Elements, Russ. pers., 1945-6.
- 7. Soviet Research on Radioactive Minerals, Trudy Instituta Geologicheskikh Nauk, No. 74, 1947.
- Rare Elements in Coal Ashes, M. A. Klochko, Nauka i Zhizn', 2; 1947.
- 9. Radioactive Isotope of Hydrogen (Tritium) and its Use As an Indicator of Chemical Reactions, G. D. Lyubarskiy, Uspekh Khim, XVI, 4, 1947
- 10. A. Physical Method of Separating Bromine Nuclear Isomers, A. S. Karamyan, L. I. Rusinov, Zhur Eksper i Teoret Fiz, XIX, 7, 1949,

- II. The Isotopic Composition of Sulfur in Meteorites and Terrestial Objects, V. L. (possibly V. Leshkovtsev), Uspekh Fiz Nauk, XXXVIII, 4, 1949.
- Problem of a Physical Method of Separating Nuclear Isotopes, A. S. Karamyan, DAN SSSR, LXVIII, 2, 1949.
- 13. The Distribution of Thorium Isotopes between Lanthanum Fluoride Crystals and their Saturated Solution in 3 and 12 Percent HNO3 at a Temperature of 100 degrees, V. G. Khlopin and N. S. Merkulova, DAN SSSR, LXV, 6, 1949
- 14. The Increased Content of Helium in Certain Minerals, O. Ye. Zwyagintsev, Priroda 11, 1949.
- 15. Problem of Increasing the Concentration of Artificial Radioactive Elements
- 16. Radioactive Isotopes of Iodine
- 17. Research in the Field of Isotopic Chemistry (Ukrainian), A. I. Brodskiy, "Jubilee Collection" of the Academy of Sciences of the Ukrainian SSSR, I, 1944.
- 18. Work of the Rare Metals Institute, Photostat of clipping from Nauka i Zhizn', 1, 1934.
- 19. Expeditions of the Institute of Rare Metals I. Ya. Bashilov, of clipping from Nauka i Zhizn', 1, 1935.

- 2 -

- 20. Radioactive Minerals in Kirgis, SSR,
  Extract translation from FDB Doc.
  No. 223526, "Data on the USSR, No.
  92, Based on Russian Newspapers
  published in July and August 1943",
  translated and compiled by the South
  Manchurish Railway Co., Ltd.:
  An investigation has been begun in
  Kirgiz SSR into areas producing uranium.
  The investigation, begun last year,
  of uranium and thorium producing regions
  in the Kenin section of France is being continued.
  Groups of geologists and chemists
  from Leningrad and from the Kirgis
  Geological Investigation / Committee /
  are participating in the survey using
  the latest survey equipment. They
  are to decide on the industrial value
  of the mines and financial arrangements.
- 21. The Importance of Radioactive Elements in the Life of Flants, A. A. Drobkov, Nauka i Zhizn', 3, 1947.
- 22. Atomic Energy, K. V. Astakhov, Nauka i Zhizn', 3, 1947.
- 23. Isotopic Composition of Oxygen in Certain Minerals, A. F. Binogradov, E. I. Dontsova, DAN SSSR, LVI, 4, 1947.
- 24. Electrical Webhod for the Separation of Muclear Isomers, L. I. Rusinov, A. S. Karamyan, C R Acad. Sci, LV, 7, 1947.
- 25. Artificially Radioactive Isotopes and Their Use in Biology and Medicine, I. N. Verkhovskaya, Uspekh Sovr Biol, XXIII, 3, 1947.

... 2

- 26. A New Method of Recording Particles of the Type of Uranium Fragments by Means of Photographic Plates, N. Perfiley, Zhur Eksper 1 Teor Fiz, XVI, 4, 1?
- 27. Radioactive Indicators and Their Application in Analeptical Chemistry, V. P. Shvedov, Vest Leningrad Univ, 4, 1947.
- 28. Observation of a New Type of Reaction (He<sup>3</sup>, He<sup>4</sup>) P. I. Lukirskiy, M. G. Meshcheryakov, T. I. Khrenina, DAN SSSR, LV, 2, 1947.
- 29. The Isotopic Exchange in the Hydrogenation of Benzene with Denteruim over Platinum and over Chromuim Oxide Catalysts, A. A. Balandin, Z. V. Kharina, R. V. Teys, CR (Doklady), LIII, 8, 1946.
- 30. Atomic Energy and its Liberation, Ya. I. Frenkel', Priroda, 5, 1946.
- 31. Z 95 and Z 96, New Transuranic Elements, L. E. Ponizovskiy, Triroda, 8, 1946.
- 32. Mechanisms of Electrical Method of Separating Nuclear Isomers, A. S. Karamyan and L. I. Rusinov, DAN SSSR, LVIII, 4, 1947.
- Nuclear Quadruple Moment of Bromine,
   Shwidt, Zhur Eksrer i Teor Fiz,
   XVIII, 1, 1948.
- 34. On the Movement of Foreign Particles in Helium II, L. Landan, I. Pomeranchuk, DAN SSSR, LIX, 4, 1948.
- Direct Methods of Isotopic Indentification in Nuclear Regumen, A. P. Grinberg, Uspekhi Fisicheskikh Nauk, XXXIV, 2, 1948.
- Concerning the Formula for Isotopic Shift,
   I. Smedinskiy, Jour Phys, USSR, I,
   1946.

SECRET

50X1-HUM

- 37. Role of Atomic Energy in the Life of the Earth, G. V. Voytkevich, Priroda, 1, 1948.
- 38. In Search for New Chemical Elements, E. Ie. Vaynshteys, Priroda, 6, 1946.
- 39. Neptunium and Plutonium, L. B. Ponizovskiy, Priroda, 4, 1946.
- 40. Isotopes of Greatest Abundance, N. A. Levitskaya, Comp Rend Acad Sci URSS, LV, 5, 1947.
- 41. Fragments Formed as a Result of Fission of the Uranium Mucleus, Uspekhi Fiz Nauk, XXXIII, 1, 1947.
- 42. Visible Radiations in a Synchrotron, M. Rabinovich, Uspekh Fiz Nauk, XXXIII, 2.
- 43. The Distribution of Phosphorus in Organs of Plants in Experiments with Radioactive Isotopes P<sup>22</sup>, V. M. Klechkovskiy, et. al., DAN SSSR, LVIII, 1, 1947.
- 44. Differential Isotopic Method for Studying Activated Surfaces, N. P. Keyyer, S. Z. Roginskiy, DAN SSSR, LVII, 2, 1947.
- 45. Normalization of the Wave Function of the Deuteron, Ya. Smorodinskiy, DAN SSSR, LX, 2, 1948.
- 46. Further Rules in a System of Isotopes, N. A. Levitskaya, DAN, SSSR, LX, 1, 1948. 1948

50X1-HUM

- 47. Fission of Bismuth, Lead, Thalluim, Platinum, and Tantalum by High-energy Particles, E. Shpol'skiy, Uspekh Fis Nauk, XXXIV, 3, 1948.
- 48. Some Rules on the Existence of Isotopes, L. A. Mindelev, Zhur Obshch Khim, XVIII, 1, 1948.
- 49. The Stability of Hydrogen Atoms in Free Triphenylmethyl, A. S. Forenko, Ye. A. Sadovnikova, Zhur, Fis Khis, XXII, 4, 1947.
- 50. New Books, Uspekhi Khim, XVII, 2, 1948.
- New Calculation of Isotopic Displacement, D. D. Ivanenko, A. F. Tsander,
   Zhur Exsper i Teor Fis, XVIII, 5, 1948.
- 52. Special Zones in the Nuclear System, N. A. Levitskaya, DAN SSSR, LXI, 1,
- 53. Specified Proof Energy Transmissions withrough Gollisions EIIFs.L. Landau and Ye. Lifeluto, Zhur Exper 1 Teor Fiz, XVIII, 8, 1948.
- 54. New Data in the Geochemistry of Inert Gases, V. G. Khlopin, E. K. Gerling, DAN SSSR, LXI, 2, 1948.
- 55. Radioactivity of Be<sup>7</sup>, V. V. Gey, G. D. Latyshev, S. I. Taypkin, A. A. Yuzefovich, IAN SSSR, Ser Fis, XII, 6,
- 56. Review of A. E. Fersman's Book 'The Role of Mendeleyev's Periodic Law in Contemporary Science, Yu. S. Zal'Kind, Priroda, 12, 1948.

50X1-HUN

- 6 -

- 57. The Angular Correlation of Short-range Alpha Particles and Gamma Quanta, L. A. Kul'chitskiy, G. D. Latyshev, and D. G. Bulyginskiy, DAN SSSR, LXIV, 2, 1949.
- 58. Study of Mechanisms of Some Chemical Reactions by the Isotopic Method, A. I. Brodskiy, IAN SSR, Otdel Khim Nauk, 1, 1949.
- 59. Bets and Beta Dissociation in Br 80.
  B. S. Dzhelepov, N. M. Anton Yeva, and S. A. Shestopalova, DAN SSSR, LXIV, 3, 1949.
- 60. The Isotope Exchange of Iodine between KI and KIO, in Water Solutions, K. B. Zaborenko, M. B. Nayman, V. I. Samsonova, DAN SSSR, LXIV 4, 1949.
- 61. Distribution of Raduim between Fusion and Crystals of Nomsombiphic Salts, V. R. Klokman and V. G. Khlopin, DAN SSSR, LXV, 1, 1949.
- 62. Radicactive Isotope of Hydrogen-Trituim, B. V. Ayvazov and N. B. Neyman, Uspekh Fiz Nauk, XXXVI, 2.
- 63. Periodization of the Elements on the Bases of Nuclear Structure, I. A. Vaysman, DAN SSSR, LXII, 2, 1948.
- 64. Isotopic State of Fossil Ice, R. V. Teys, DAN SSSR, LXII, 3, 1948.
- 65. Certain Facts about the Application of the Tracer Atoms Process, T. L. Abramson, Vop Ped i Okhran i Der, 6, 1948.

50X1-HUM

- 66. Kinetics of the Reaction of Mercury Vapors with Osone, V. A. Piyankov, Zhur Obshoh Khim, XIX, 2, 1949.
- 67. Angular Distribution of Protons in the Regations O'D (d,p) O'T and Al27 (d,p) Al28 Yu. A. Nemilov, and B. L. Funshteyn, DAN SSSR, LXVI, 4, 1949.
- 68. Radioactive Nuclei of the Type H., B. E. Dshelepov, Zhur Eks and Tear Fiz, XIX, 5, 1949.
- 69. Using Deuteruim in Studying the Reaction Mechanisms of Organic Compounds, G. P. Miklikhiya, Uspekh Khim, MVIII, 2, 1949.
- 70. Review of S. V. Al'tshuler's Tracer Atoms', D. Ivanenko, Uspekh Fiz Nauk, XXXVI, 4, 1948.
- 71. The Problem of Beta-Disintegrat of H3, M. Ye. Voykhanskiy, B. S. Dzhelepov, and L. A. Sliv, DAN SSSR, LIVI, 5, 1949.
- Beta-Spectrum of Au<sup>198</sup>, L. Ya. Shavtvalov, Zhur Eksper i Teor Fiz, XIX, 7, 1949.
- 73. The He3 Isotope, K. A. Tumanov, Uspekh Fiz Nauk, SSSVII, 4, 1949.
- 74. Angular Correlation of Short-flight Alphaparticles and Gamma-quanta, L. A. Kill chitakiy, G. D. Latyshev, and D. G. Bulyginskiy, IAN SSSR, Ser Fiz, XIII, 3, 1949.
- 75. Radicactive Isotopes of Carbon and Their Uses, B. V. Ayvazov, M. B. Neyman, V. L. Tal'rose, Uspekh Khim, XVIII, 4, 1949.
  - 76. Electron Conversion of Gamma Quanta in Beta Decay, I. S. Shapiro, DAN SSSR, LXVII, 1, 1949

50X1-HUM

- 8 -

- 77. A Study of Protons which Form during the Bombardment of Magnesium by Deuterons, Ya. A. Hemilov and L. I. Gedeonov, DAN SSSR, LXIII, 2, 1948.
- 78. Review of A. I. Brodskiy's Book 'Use of Tracer Atom Methods in Chemistry', A. M. Alekseyev, Nauka i Zhisn', 6, 1949.
- 79. Electron Emission of Their B2 03 Films during Bombardment by Anions, S. V. Starodubtsev, DAN SSSR, LXII, 6, 1948.
- 80. Radioisotopes of Phosphorus and Their Base, I. N. Verkhovskaya, Uspekh Sovr Biol, XXVI, 2 (5)
- 81. Exchange Reactions of Hydrogen Isotopes G. P. Mikukhin, Uspekh Khim, XVII, 6, 1948.
- 82. Radioactive Isotopes of Phosphorus, B. G. Dzanmiyev and M. B. Neyman, Uspekh Fis Nauk, XXXVIII, 3, 1949.
- 83. A Radiophotographic Method for Quantitative Determination of Natural and Artificial Radioactive Elements in Plants, A. A. Drobkov, DAN SSSR, LXIII, 1, 1949.
- 84. Problem of Increasing the Concentration of Artificial Radicactive Elements, A. S. Karamyan and G. Ye. Kogan, DAN SSSR, LXVIII, 3, 7
- 85. Beta Spectrum of At 8, B. S. Dzhelepov, A. A. Zolotavin, and N. M. Anton'yeva, DAN SSSR, LXIV, 1949.
- 86. The Disintegration of Uranium, O. I. Leypunskiy, Bull. of the Uk. Acad. Sci., VIII, 1941.

SECRET

50X1-HUM

- 87. Isomerism of Atomic Nuclei, L. I. Rusinov, IAN SSSR, Ser Fis, V, 1941
- 88. Influence of Radioactive Elements en Plant Life, A. A. Drobkov, Nauka i Zhisn', 3, 1947.
- 89. A New Method for the Electrochemical Extraction of Polonium, D. M. Ziv, in CR (Doklady) Acad Sci URSS, SSV, 1939.
- 90. Instability of He<sup>5</sup>, M. Mescheryakov,
  A. Reut, E. Grigor'yev, and T. Khremina,
  Compt. rend., Acad. Sci. URSS, L, 1946:
  The ratio of He<sup>5</sup> to He<sup>4</sup> in He from a
  gas well was determined to be smaller
  than 10-14 by isotopic analysis in
  a cyclotion.
- 91. Theory of the Light-emitting Electron, D. D. Ivanenko and A. A. Sokolov, DAN SSSR, LIX, 1551-4, 1948.

  The spectral distribution Wn (n) where Wn z energy, n = order of the harmonic, of the electromagnetic emission of an electron accelerated in a betatron or synchronotron, having, at energies of the order of 10° e. v. its mex. in the visible region, is called. in the ultrarelativistic case, and is confirmed by the identity of with the expression of the total emitted energy,

shere radius of the trajectory,

92. New Data on the Geochemistry of Rare Gases, V. G. Khlopin and E. K. Derling, DAN, LXI, 297-300, 1948.

The accumulation of heavy isotopes of Xe in old U minerals and the Xe content in uranimte were detd. This suggested an exptl. verification of the

- 10 -

SECRET

213

50X1-HUM

new method and of the formula for detg. the age of the U minerals in relation to the Xe: U ration in them. The formula reads:

93. Dynamics of ion Exchange, D. D. Ivenenko, V. V. Rachinskiy, T. B. Gapon, and E. N. Gapon, DAN SSSR, LX, 1189-92, 1948:

The distribution of phosphate ions along a vertical column of HNO3-treated Al203 was detd. at the origin, after one elution withH20, and then after 3 consecutive elutions with excess 1 NaOH. The latter elutions give rise to 2-3 max. along the column. At pH 6.2, 63.67% of the phosphate is present as H2PO4, 36.32% as HPO4. The ion exchange may be represented by (Al2

and the max. are roughly accounted for by the higher adsorbability of hiPO4. The exchange isotherm S1

(8 = equil. adsorption in mg. equiv./g., C = equil. conon. in mg.-equiv./ml.) gives the correct distribution curve with K = 0.01.

- 94. Fizicheskaya Khimiya, A. I. Brodskiy, Vols. I and II, 6th edition, Moscow-Leningrad; Goskhimizdat, 1948, 30 rubles.
- 95. Tritium, the Radicactive Isotopes of Hydrogen, B. V. Ayvazov, and M.B. Neyman, Uspek Fiz Nauk, XXXVI, 145-80, 1948. A critical review.
- 96. Isotopic Exchange of Phosphorus Among HgPO2, B. Neyman, and A. N.

Nesmeyanov, DAN SSSR, Nauk, LAVII, 463-6, 1948

In equimol. mixts. Na H<sub>2</sub> P\*O<sub>2</sub> NaH<sub>2</sub>PO<sub>2</sub>, 1, 0.25, or 0.1 M (P\* 2 P<sup>32</sup>), heated 80 hours in closed vessels, and analyzed by the Mg-NH3method, no isotopic exchange was detected by madioactivity measurements up to 2800, at which temperature all the H2PO2 was oxidized to H<sub>2</sub>PO<sub>4</sub>. A similar neg. result was found with H<sub>3</sub>P\*O<sub>4</sub> H<sub>2</sub>PO<sub>3</sub> up to 2800 at which H<sub>3</sub>PO<sub>3</sub> disappears. Addition of 0.0005 M NaOH accelerates oxidation of H<sub>3</sub>PO<sub>2</sub> and of H<sub>3</sub>PO<sub>3</sub> to H<sub>3</sub>PO<sub>4</sub> considerably, oxidation being complete at 195°. On the other hand, addition of 0.0005-0.001 M HCl increases the stability of NaH2PO2 which, in mixt. with NaH2P\*O4, could be detected and sepd. even after heating to 3000. However, no exchange of P\* was observed even under these conditions.

- 97. Use of Radioactive Indicators in Analytical Chemistry, M. B. Neyman, and A. N. Nesmeyanov, Uspekh Khim XVII, 401-31, 1948. Critical review.
- 98. Content of Holium in Beryllium, Boron, and Lithium Minerals, V. G. Khlopin, DAN Nauk SSSR, LXVI, 893-4, 1949:

Helium found in Be and Li minerals is accumulated as a result of selective occlusion by the minerals of He dissolved in the magma in the course of crystn.; the B minerals probably are accounted for similarly. The basis for the conclusion lies in the He<sup>3</sup>/He<sup>4</sup> ratio of 0.5-12 10-7 from such minerals, while He derived from nuclear fission is essentially

99. Further Regularities in the System of Isotopes, M. A. Levitskaya, DAN SSSR, LX, 45-6, 1948: The following addnl. facts have been noticed in connection with L.'s isotopes table. An even nucleus below Z = 32 usually has more isotopes which are heavier than the most abundant isotope than isotopes which are lighter. The change ( W) in the no. of free neutrons in going from and N usually is -1. It is suggested that the uneven nuclei below Z = 32 were formed from heavier isotopes, and that these beyond Z = 32 were formed from lighter isotopes. Up until Z = 32, only the "external" neutrons, whose binding energies are low, are active in binding new protons to the nucleus.

Above 2= 32, the "internal" neutrons are active, but no generalities

100. Determination of the Isotopic Composition of Oxygen due to Photosynthesis, A. P. Vinogradov and R. V. Teys, Compt Rend Acad Sci URSS, LVI, 59-60, 1947. (in English):

were observed.

On repeating former expts. on the isotopic compn. of O due to photosynthesis in Elodea canadensis, V.and T.found that the increase, d, in the d. of H2O prepd. from O obtained by photosynthesis over that of H2O prepd. from O obtained by the electrolysis of water varied from 2.0 to 2.3 (av. 2.2) and differed greatly from the both of O from air ( d and from GO2 d ll.5). Thus, during photosynthesis O is liberated as a result of H2O dehydrogenation rather than as a result of the reduction of GO2.





101. Variation in Deuterium Concentration in the Process of Melting Ice, R. V. Teys, Compt Rend Acad Sci URSS, LIII, 529-32, 1946, (in English):

The d. and n of cleaned samples of snow from the Moscow and Yaroslavi provinces and of ice samples were measured to det. the change of D conon. during melting. The D content of the water formed upon melting depended on the stage of melting, being low at first and increasing as melting continued. The lower D content in the first stages persists for a longer time if the melting takes place in contact with the water formed. The increase in D conon. in the solid phase proceeds at a much faster rate than would be expected from the ratio of the initial and residual amts. of ice.

102. Isotope: Composition of Mineral Waters, R. V. Teys, Compt Rend Acad Sci SRSS, LIII,

135-7, 1946, (in English:
Previous d. detns. of 35 natural waters
showed the least mineralized to have the
lowest d., which resulted from soil layers
adsorbing D during percolation. Isotopic
exchange has also been considered responsible
for d. decrease, by substitution of light H
for D or O exchange. Waters showing reduced
d. have thus been assumed to have a vadose
origin. Investigation by the author of
carbonate mineral waters indicates a const. concn.
of the Cl3 isotops irrespective of the CO2
content.

- /4/ -

A LATE

103. Effect of Radionctive Elements
Upon Development of Root-Nodule
Encteria and Upon the Assimilation
by Them of the Molecular Nitrogen
of the Atmosphere, A. A. Drobkov,
Compt. Rend. Acad. Sci., URSS, XLIX,
224-6, 1945:

In the absence of radioactive elements no nodules were formed on the roots of peas growing in water culture and no N was fixed even when the medium contained B and Mn and was inoculated with root-nodule bacteria. The addn. of Ra to the culture promoted the development of nodules and increased plant growth and the plants assimilated nearly twice as much N as a result of fixation as the Ra-free controls, even when normal doses of N were contained in the nutrient soln. The optimum dose of Ra was 10-10g, per 1. of nutrient but the plants could stand 10 and 100 times greater doses.

104. The Angular Distribution of Pairs Produced by -rays from Th On, B. Dishelopov and N. Vlasov, J. Exptl. Theoret. Phys., USSR, XV, 685-91, 1945, English Summarys. The apparent dependence of the divergence angle of positron-electron pairs on the target's Z (L. V. Groshev and E. M. Frank, C.A. 32, 69412) could be due to the variation of scattering power among the gases used simultaneously as targets and cloud-chamber gases. B. AND Virradiated 11- and 23- Pb foils and 120-,240-, and 500- Al foils with -rays from ThOn, observing the no. of coincidences per hr. as a function of the angle formed by the axes of the G. M. tube

coincreaces per hr. as a function of the angle formed by the axes of the G. M. tubes, which converged on the target. The resolving time of the coincidence circuit was 2.5 10-5 sec. The exptl. coincidence rate was 50-200% of background rate. The curves for positron-electron path angle vs. no. of

- 15 -

Declassified in Part - Sanitized Copy Approved for Release 2012/05/23 : CIA-RDP82-00039R000100040041-2

SECRET

pairs per hr. coincided almost exactly for the 11- Pb and 240- Al targets; thus the rate of pair-formation in the region measured (5-30 per hr.) was not a function of Z.

105. Beta-Ray Spectrum of K40, B. S. Dahelepov,
M. Kopyeva, and E. Vorob'ev, Phys.Rev.,
LXIX, 538-9, 1946:
The Beta-spectrum of the reaction K40
Ca 40 has an upper limit of 1350 50 e.kv.,
and a single max. at about 400 e. kv. A
special magnetic spectrometer with 7 counters
is described.

106. Nuclear Isomora with Long Lifetimes, L. I. Rusinov, and Ya. M. Igel'nitskiy, DAN SSSR XLVII, 338-41, 1945: The lifetime of nuclear isomers with respect to radiation transitions can be estd. by use of a no. of formulas derived on various assumptions concerning the nucleus. This computed lifetime should then be decreased, because of the possibility of discharge of the isomers by internal electron conversion, which must be further calcd. by special formulas. L. D. Landau's formula for estn. of the lifetime of nuclear isomers was derived by assuming that the nucleus radiates as a "one-particle" model. It differs from the other formulas in that allowance is made for the influence of internal electron conversion. The effective radius of the nucleus is taken as 5 10-13 cm. The lifetimes in yrs. of the investigated elements are: Cd4g (all of the isotopes)

SECRET

Declassified in Part - Sanitized Copy Approved for Release 2012/05/23 : CIA-RDP82-00039R000100040041-

- 107. Isotopic Composition of the Waters of Upper Swanetian Glaciers, R.V. Teys and K. P. Florenskiy, DAN ESSR, XLVII, K66-7, 1945:

  D content of glacier water is lower than that of Ingur River water; heavy-0 content is equal or somewhat higher. Isopopic compn. of glacier water and river water in Upper Evanetia is similar.
- 108. The Application of the Isotopic Method to the Investigation of the Mechanism of Chemical Reactions. III. The Mechanism of the Reactionof Acid Anhydrides with Alcohols, N. I. Dedusenko and A. I. Brodskiy, Acta Physicochim, URSS, XVII, 314-18 1942. IV. Reaction of Xanthation, Reaction of Mercerization of Cellulose and the Structure of Alkali Cellulose, I. A. Makolkin, The application of the Isotopic Method to the Investigation of the Mechanism of chemical Reaction of Acid anhydrides with Alcohols, 319-22, in English.
- 109. Transmutation of Elements and the Periodic Law, V. G. Khlopin, Uspekhi Khim, XIII, 181-202, 1944;

  A review of development of the concepts of a chem. element from the time of publication of the periodic table by Mendeleev, 1869 to date.

  81 references.
- 110. Hydrodynamics of Helium II, L. Landau, J. Exptl. Theoret. Phys. USER, XIV, 112-15, 1944.

  Theoretical-math. A method is developed for solving problems of the hydrodynamic motion of He II by considering it as an incompressible liquid.
- 111. Radium Institute Cycletron, I. Are type of Ion Source, D. G. Alkhazov, M. G. Meshcheryakov and L. M. Khromchenko, J. Phys. USSR, VIII, 56-61, 1944:
  The construction and operation of the cycletron are described. Deuterons with energies up to 4 m.e.v. can be obtained.

- 17 -

in Experimental Osteotuberculosis, I. M.
Verkhovskaya and G. M. Frank, Byull. Eksptl.
Biol. Med., XVIII, No. 7/8, 19-22, 1944:
Fifteen rabbits were injected intravenously or subcutaneously with 5 cc of sterile radioactive NayEFO, solm. Six healthy rabbits and 8 rabbits injected with turnettime served as controls. In animals with exptl. osteotuberculosis more Rd-P was found in the epiphysis than in the diaphysis, and in diseased bones than in healthy bones. The distribution of Rd-P in the tones of "turpentine" rabbits was identical in both legs. In osteoporosis, P is avidly absorbed by the bones but not retained for long, owing to the increased rate of passage of mineral substances. The difference is smoothed out with time. A similar picture was observed in chicks suffering from rickets.